

Mechanical Specifications

MECHANICAL SPECS—THE MAGAZINE

Special Events Magazine is manufactured CTP (Computer-To-Plate). Your advertising materials must arrive in an electronic format. Magazine Trim size: 7³/₄" x 10³/₄"

Full Page	LIVE AREA	7 x 10
	BLEED	8 x 11
Spread	LIVE AREA	14 ³ / ₄ x 10
	BLEED	15 ³ / ₄ x 11
	TRIM AREA	15 ¹ / ₂ x 10 ³ / ₄
² / ₃ Page		4 ⁵ / ₈ x 10
¹ / ₂ Page Island		4 ⁵ / ₈ x 7
¹ / ₂ Page Horizontal		7 x 4 ⁷ / ₈
¹ / ₂ Page Vertical		3 ¹ / ₂ x 10
¹ / ₃ Page Square		4 ⁵ / ₈ x 4 ⁷ / ₈
¹ / ₃ Page Vertical		2 ¹ / ₄ x 10
¹ / ₄ Page		3 ¹ / ₂ x 4 ⁷ / ₈
¹ / ₆ Page Vertical		2 ¹ / ₄ x 4 ⁷ / ₈

Space Unit Size In Inches: Space can be used only in the above sizes. Space exceeding size indicated in any direction is considered bleed except for gutter bleeds in spread.

GENERAL SPECIFICATIONS

Printing Method: Web Offset

Binding: Perfect bound

Paper: Cover printed on 70-lb. coated offset; text printed on 36-lb. coated groundwood finish

Ink: SWOP standard and four-color process

Shipping Instructions: Send all contracts, orders, insertion instructions, advertising material, and correspondence to: Kylee Adams, Ad Production Manager, Special Events Magazine (Issue Date) 9800 Metcalf Ave., Overland Park, KS 66212

Clearly mark: "SE Advertising Materials"; tel. 913-967-1773 fax. 913-514-7182; Kylee.Adams@penton.com.

Advertising materials must be shipped prepaid to publication to arrive by the materials due date.

DIGITAL AD SPECIFICATIONS

PDF Format: Advertisers are strongly encouraged to submit advertising materials in a digital format prepared according to the following guidelines: PDF Format: Advertisers are encouraged to submit PDF and PDF/X1-A files provided that they are prepared for press-optimized printing in CMYK with fonts embedded. For an Acrobat Distiller job-options file and more information on creating acceptable PDF files, visit www.pentonads.com. Please note: PDF files lack the ability to be edited or altered (i.e. phone number, address, etc.)

- **Preferred Applications:** Ad layouts should be created using either QuarkXPress™; or Adobe InDesign®. If submitting application files, provide all supporting graphics and fonts.
- **Proofs:** Text and element proof required to assist in preflighting digital ad files. For critical color match, a digital halftone proof (i.e.

Kodak Approval, Dupont Digital Waterproof, Fuji FirstProof, etc.) is required. Accurate color reproduction cannot be achieved without an accompanying SWOP-certified proof.

- **Photos:** 300 dpi, actual size; CMYK color model; .tif or .eps format; no JPEG compression.
- **Line Art/Text:** 600 dpi minimum; CMYK color model; .eps or .tif format with color preview. In Photoshop, black text should be created in black channel only to avoid registration problems.
- **Color Tone Values:** To avoid over-saturation of ink, the total combined value of CMYK colors should not exceed 300% (i.e. C=100, M=100, Y=50, K=50). Any one color with a required value over 85% should be made solid.
- **Color Mode:** Ads should be converted to CMYK prior to submission as color shifts may occur. Ads received in RGB color will be converted to CMYK.
- **Fonts:** When submitting application files, include screen and printer fonts. On illustrations it is recommended to convert text to outline, however outline text cannot be altered.
- **Lettering:** Reproduce all reverse lettering with a minimum of colors. Type smaller than 8 point with fine serifs should be avoided.
- **Media:** Mac or IBM CD, Zip 100, floppy.
- **Inserts:** Contact advertising representative for rates, production specs and shipping instructions or visit www.pentonads.com.

ONLINE AD TECHNICAL SPECIFICATIONS

More detailed specs available upon request

Formats currently accepted: GIF, Animated GIF, JPEG, Flash, Unicast, PointRoll, Eyeblaster, Enliven

Will accept for testing: DHTML, Audio, Real, Shoshkeles, Tomboy

Non-accepted formats: Java, Java Applet, Video 3rd Party Ad Serving (3PAS): Include DART (internal redirect), Bluestreak, MediaPlex, and Atlas. All 3PAS must be accompanied by anti-caching documentation.

Dimensions/file sizes: 120x240: 12K; 468x60: 15K; 250x250: 15K

Frames and looping: Maximum Frames=4; Looping=3 times
Materials due 2 business days prior to posting for banner ads and 5 days prior to posting for rich media ads. Include referring URL and alternate text with instructions.

Cancellation policy: Banners, sponsorships, and e-newsletters require a 2-week written cancellation notice.

E-NEWSLETTERS

Formats accepted: GIF, Animated GIF or JPEG files only. No Rich Media or Flash.

Dimensions and file sizes: 468x60 full banner, 15-20k; 120x60 logo, 8-10K; 125x125 square, 120x240 half-tower, 20K; 120x600 tower, 25K. Frames and Looping: Max Frames = 4, Looping = 3times
3rd Party Ad Serving (3PAS): most 3rd party ad tags accepted. 3PAS tags for e-newsletters must be standard IMG SRC and HREF tags only. All 3PAS must be accompanied by anti-caching documentation. Materials due 2 business days prior to e-newsletter blast.

Send all materials for online/e-newsletters to Sarah Rapp at sarah.rapp@penton.com

